


RACKING & CODE PLAN

SCALE: 1/32" = 1'-0"



GENERAL NOTES

1. PARKING REQUIREMENTS
 WAREHOUSE FLOOR AREA OCCUPIED BY MACHINERY: 85,750
 TOTAL REQUIRED: 109
2. SEE OVERALL PLANS AND ENLARGED PLANS FOR BUILDING CONSTRUCTION
3. TRAVEL DISTANCE IS LESS THAN 400' TO EXTERIOR EXITS. COMMON PATH OF EGRESS IS LESS THAN 100'. BUILDING IS FULLY SPRINKLERED
4. ALL EXISTING EMERGENCY EXITS FROM EXISTING BUILDING TO BE MAINTAINED

LEGEND

- FE-1 BRACKET MOUNTED FIRE EXTINGUISHER (20# POUNDS)

DRAWING NOTES

1. ILLUMINATED EMERGENCY EXIT SIGN MOUNTED OVER DOOR - SEE ELECTRICAL DRAWINGS
2. NEW HOLLOW METAL DOOR AND FRAME TO COURTYARD - DOOR TO BE MARKED "NOT AN EXIT"
3. NEW STRIPING ON NEW ASPHALT PAVING - SEE SITE LAYOUT DWGS
4. TYPICAL STORAGE RACKS PROVIDED BY OWNER - TOP OF STORAGE MATERIAL TO BE 2'-0" AT MAXIMUM
5. EXTERIOR DOOR TO BE 3 HOUR RATED
6. INSULATED PRECAST CONCRETE WALLS TO BE 3 HR RATED ALONG THIS FAÇADE

NEW WAREHOUSE EXPANSION
 FOR
Republic Wire
 UNION CENTRE DRIVE
 WEST CHESTER, OHIO 45069

© COPYRIGHT 2005, MCGILL SMITH PUNSHON, INC.

Drawn By	DCC	Project Mgr.	RCM
CAD File	973321-4A1		
X-Ref File	NONE		
Issue/Revision	Number	Date	
FOR PERMIT		07/18/12	
FOR CONSTRUCTION		08/22/12	
CORRECTION LETTER			

McGill Smith Punshon, Inc.
 3700 Park 42 Drive Suite 190B
 Cincinnati, Ohio 45241-2097
 Tel. 513-759-0004 • Fax 513-563-7099

Engineers • Architects • Surveyors
 Planners • Landscape Architects

Sheet Title
RACKING & CODE PLAN
 AND NOTES

Project No. 9733332

Scale AS NOTED

Sheet No. A0.1

File No. 97 333